

# EASTER MIRACLES

A season of Reflection: Joy, Hope and Gratitude for the Grace and Love of our Savior.



Finished Size approximately 52½" square Minimum Hoop Size 8"x 12" Formats: art dst exp jef pes vip vp3

## **Easter Miracles Supply List**



## Fabric Supply List:

1 ¾ yards White, Cream or Sky Blue tone on tone **Background Fabric** (44" wide or wider) Do not remove selvage.

Remaining fabric used for the Checkerboard Border.

2/3 yard Blue or Purple tone on tone Center Sun Fabric

1 ½ yards Dark Outer Border Fabric (could also include Checkerboard fabric and binding & eliminates pieced borders)

½ yard Interfacing for Sun Appliqué (I used Polymesh)

10" Square White fabric for appliqué center

6 yards Fusible Woven Interfacing: Shape Flex 101 by Pellon (20" wide)

½ yard Binding 3½ yards Backing 60" x 60" Batting

## **Embroidery Supply List:**

Hoop Requirements: stitch field must be 8" wide x 12" high or larger / bring your largest hoop & grid

15 yards Heavy Weight Tear Away (Pellon #806 Stitch & Tear or OESD Heavy Weight)

Temporary Adhesive Spray: Suggested 505 Spray Adhesive

Removable fabric marking pen (No air erasable pens) SewLine Duo Marker, medium tip recommended /can be ironed

Mechanical Chalk Pencil (to mark on darker fabric if used for Sun Center: test pen on fabric for removal)

Needles 80/12 and 90/14 Sharps (both work but some machines prefer one over the other)

Terial Magic Starch (mandatory)

Optional: Top Cover (permanent vinyl topping) by OESD

Basic embroidery kit including small double curved scissors, tweezers, Jumbo Wonder Clips,

Optional Arrow shaped post it notes by Post-It-Notes (they say: SIGN HERE)

Bobbin Thread: (light neutral color & black)

Embroidery Thread: Isacord 40 wt. Embroidery Threads listed

Gold / Yellow	Browns/ Tan	Pinks / Purple	Orange / Rust
0703 Orange Peel	0842 Toffee	1761 Tea Rose	1102 Pumpkin
0721 Antique	0932 Nutmeg	2170 Chiffon	1301 Paprika
0800 Goldenrod	0933 Redwood	2830 Wild Iris	1332 Harvest
	0941 Golden Grain	2910 Grape	1335 Dark Rust
	1172 Ivory	3350 Lavender Whisper	

Blue	Greens	Greys	Black & White
3901 Tropical Blue	5510 Emerald	0132 Dark Pewter	0020 Black
3910 Chrystal Blue	5633 Lime (2 spools)	0142 Sterling	0015 White
3962 River Mist	5730 Apple Green	0182 Saturn Grey	
		2674 Steel	

## **Sewing Supply List**

50wt. Cotton Thread matching the fabric for piecing.

Basic sewing kit including Double Curve Embroidery scissors (**Kai 5**" **Double Curve** recommended), pins, rotary cutter & mat, long straight ruler, etc.

20 1/2" Square Ruler for accurate marking & trimming & Quick Trim & Circle Ruler XL by Creative Grids (recommended)

# TIPS FOR SUCCESSFUL EMBROIDERY!



Keep these pages accessible, you will need to refer to these "Tips" throughout your embroidery!! Follow Claudia's two step "**Perfect Placement Technique**" for accurately multi-hooping large designs!

## Step #1: Marking the design's first stitch location on the grid:

- Attach the hoop and grid to the module with no fabric.
- Open the design to be embroidered.
- Advance to the embroidery sewing screen. Embroidery Machines open a design in an editing screen. Touch the
  icon that moves you to the embroidery sewing screen. Advancing to the embroidery sewing screen takes you to
  the first stitch of the design, where you are ready to embroider!

**Brother, Babylock, Janome, and Singer** machines have an automatic center stitch programmed into the machine. You must advance past this "programmed center stitch" to move to the first stitch of my designs. These machines will have an additional icon (usually +/- key) you will need to touch to move you to first stitch of my design.

**Bernina** machines with a Basting Box option must make sure the built in basting box option is turned off before they advance to the embroidery sewing screen.

- By hand, lower your needle to touch the grid. Place an arrow shaped post-it-note on the grid so the tip of the arrow touches the tip of the needle. This marks the first stitch location of my design on the grid (not the center of the design, not the center of the hoop, but the first stitch of the opened design).
- Raise the needle; remove the hoop and the marked grid from the module.

## Step #2: Hooping the Fabric

- Place the inner hoop with the grid on the (stabilized and marked) background fabric. The arrow shaped
  post-it-note on the grid should be pointing to either the Needle Alignment or to the Placement Line location on
  the background fabric. The location is noted in the Embroidery Instructions and will be different for each hooping
  (it will almost never be the center of the hoop).
- Hoop the (stabilized and marked) fabric with the lines on the grid parallel and perpendicular to the drawn lines on the fabric. The drawn lines need not lie exactly under the lines of the grid, but must be parallel and perpendicular to the lines on the grid. This keeps the larger piece of fabric square and straight as you embroider.
- Remove the grid from the hoop and attach the hoop to the module.
- It may be necessary to re-position the needle exactly over the **mark** indicated in the instructions. Use your Move Motif Icon to tweak the needle perfectly over the mark.
- Needle Alignment is to place the needle over a specific mark like the drawn crosshair on the fabric
- Placement Line is to sew (without thread) over previously sewn stitches to ensure correct placement.

To watch a demo: How to find the First Stitch on your brand of machine

#### **Additional Tips and Helps!**

#### Tip #1: Built in Basting Box!

Many embroidery machines have a built-in basting box option. When this option is enabled it may add a color stop to the stitching order of the design. This option should be disabled before opening a design. If the basting box option is on or enabled when you advance to the embroidery sewing screen, you would be marking the grid with the first stitch position for the basting box and not the first stitch of the design! Be sure to disable the basting box option before opening a design.



## Tip #2: Hooping Tips

Remove the tear away stabilizer from the last hooping to reduce the stabilizer "bulk". Roll the excess fabric in a tube shape and use clips to hold the excess fabric out of the way.

This will prevent the fabric from accidently catching under the hoop.

## Tip #3: Unusual Embroidery Instructions:

**Needle Alignment**: This is placed **first** in the stitching order to align the needle exactly where it goes. It is strictly for needle placement and not to be sewn out (unless indicated). If it is accidently sewn out t will look like a crosshair. Pick it out!

**Placement Line**: This is a line that is to be sewn out without thread over an existing line to ensure correct placement. It is an alignment tool for connecting one hooping to another.

The blank line after the thread color: Thread Purple #\_\_\_\_\_ (Write your thread Color # on the line) It will help you remember what color you used when you return to embroidering.

Combo Hoops: These designs are created for hoops larger than 8"x 12". I have combined 1 or 2 hoopings into one larger hooping, created for larger hoops. All other designs are made for 8"x12" hoops.

## Tip #4: Ironing/Pressing

Place the embroidered background fabric **wrong side up**, over a wool mat. Padding the stitches with a wool mat won't crush them. I usually spray with starch and then press the fabric.

## Tip #5: Trimming the Blocks

For best accuracy, use a square ruler to trim all the blocks. Place the square ruler on the block lining up two sides, then trim. Trimming with a 6" x 24" ruler is not as accurate and leads to slips and miss-cuts. If you have difficulty keeping a ruler from moving when you cut, place double sided tape on the side that goes against the fabric! Also, using quilting gloves helps to hold it in place!

Tip #6 "Sewing without Thread" aka "Walk the Line"





Icons used for the "Broken Thread" or "Advance Icon" shown above.

Every machine has a button where you can advance forward or move backwards through a design. This is usually used when you "break a needle" or "run out of bobbin thread" and you need to backup to replace stitches. I use this feature to advance forward through a design to "Walk the Placement Line" or "sew without thread." As you advance through Color #1 Placement Line, drop the needle often to check the position of the needle on the fabric to make sure you are following the Placement Line.

Click on the link below and SCROLL DOWN to the video you chose.

**Preparing the Fabric with Terial Magic** 

**Cutting and Marking the Fabric** 

How to find the First Stitch on your brand of machine


**Hooping the Fabric vs Floating the Fabric** 

Easter Miracles — Grass Videos

**Blocking a Quilt** 

## **Cutting Instructions**





## **Fabric Preparation**



Starch the fabric: Terial Magic.

Saturate the **Background**, **Sun & Appliqué Fabric** in **Terial Magic**. This product is a heavy starch. The fabric must be very stiff to avoid stretching during embroidery. Let the fabric almost dry then iron the fabric flat and smooth. **Preparing the Fabric with Terial Magic** 

## Interfacing: Shape Flex 101 by Pellon (woven) or Fusible Woven by OESD

Center and Iron interfacing (after Terial Magic) adhesive side down, to the back of the **44" Background Square** & the **22" Sun Fabric Square**. Piece the interfacing to get the size needed. Overlap the pieced sections by ½". The interfacing may be slightly smaller than the fabric blocks & it will shrink more when you iron it. Lightly spray with water to activate the adhesive. Smooth the interfacing with your hands (this will help to displace the air between the interfacing & fabric).

Start pressing in the center and work out slowly. Iron the interfacing to the fabric. All edges should be sealed together. If you see air bubbles, spray with water and iron again.

44" Square of Background

22" Sun Fabric Square

10" White Applique Square
Applique fabric doesn't need Shape Flex

## **Marking Instructions**

Mark the Fabric: (use removable ink)

On the front side of the Background and Sun Fabrics mark a horizontal & vertical line, the full LENGTH & WIDTH of the fabric, centered on the fabric (aka=center crosshair / shown in red)
Use a 20 ½" square ruler to mark the lines to ensure a 90° center. See instructional video for example.

Select Videos / Cutting & Marking Fabric with two rulers

Sun Fabric marking is complete, (only needs the Center Crosshair marking) set aside.

## 44" Background Fabric:

Use a **6" x 24"** Ruler:

Mark lines the "full width and length" of the fabric.

Mark **Vertical lines 6" & 12"** on both sides of the **Center Vertical Line**.


Mark **Horizontal lines 6" & 12"** above & below the **Center Horizontal Line**.

The lines form a grid.

Lines must be parallel & perpendicular to each other (90° angle).

Write the words "**Top of the Fabric**" at the top of the fabric.

See picture. Also write **Bottom, Left, & Right** in the appropriate locations.



Copyright © 2024 Claudia Dinnell

## **Circle Marking Instructions**



Optional: Use the Creative Grids Quick Trim and Circle Ruler XL (41/2"x241/2") to mark the circle in 10 seconds!!


Before marking, the fabric should be smooth and flat before beginning. Use Spray Starch if needed to help flatten and smooth the fabric. Use a large wide table if possible to mark the Circle Shape on the fabric.


Draw a "Circle Shape" 18½" from the center (use removable pen). This new circle will be the placement line for the Grass Border. Follow steps below:

## Step #1:

Clearly mark the center of the quilt with a small dot.

The key here is small, if you clearly **see** the center crosshair no need to re-mark the center.





## Step #2:

## To mark a "circle shape" on the fabric:

Using a 6x24" ruler, place marks on the fabric 18½" from the center at the top, bottom, left & right. This will help you start to form the circle.

Add additional marks between each of the sections 18½" from the center. The more marks you add, the more the "circle shape" is developed. Add as many marks as you can to form a perfect circle shape. The finished size is a 37" circle.

#### Step #3

Connect one mark to the next mark with a short line to finish forming the circle shape. Continually check the measurements to ensure a circle!


The more formed the circle is the easier it is to align the Grass Border. Take your time and be accurate! Very accurate!

Double check to make sure the circle is accurate.

This circle is the "Placement Line" for the Grass Border sections.

#### Note:

It is totally worth the price for the Quick Trim and Circle Ruler 4½"x 24½"



Copyright © 2024 Claudia Dinnell

## Pre-Class Prep: Blue Sun Appliqué Paper Template Instructions






Print the **Paper Template** Pattern from the pdf file.

(Do Not use any other template.)


They will be 4 pages.

Tape the sections together matching the numbers in the outer corners.

One page will be on top of the other, over lapping by 1/4" or so with the numbers on top of each other.



## **Paper Template**



## The taped together paper template

measures **15**" **at** widest & highest points (not smaller). Measure your pattern and adjust if needed.

Diagram shows the horizontal widest points!

Make sure the vertical & horizontal points are the same measurement. i.e. 15" vertical & horizontal




Center the Polymesh over the paper template.

Trace the pattern on the Polymesh using the SewLine Duo Marking Pen. Include the Horizontal and Vertical Crosshairs, the words Top, Bottom, Left & Right.

The pattern shape is now on the Polymesh and you can put the paper template aside.

\*DO NOT CUT the Blue or Purple Fabric Square or the Polymesh to the template shape. Leave it in a "square shape."

We need to embroider on the full square piece of Sun Fabric. The shape will be cut later in the process.



Copyright © 2024 Claudia Dinnell